



**CPVO**

Community Plant Variety Office

## DISCLAIMER

The present version of the national guideline has been accepted by the President of the CPVO for its use in technical examinations carried out on behalf of the CPVO or for the take-over of reports serving as a basis for a CPVO decision.

**Maranta**  
**Simplified standard protocol: SSP/MAR/1**

|  |  |         |
|--|--|---------|
| Examination office:  | Naktuinbouw  |         |
| Reference of the protocol:   | SSP/MAR/1  |         |
| Date of preparation of the protocol:   | 01/09/2023   |         |
| Date of entry into force of the protocol:  | 25/07/2022   |         |
| Botanical taxon:   | Maranta L.   |         |
| Common Name (when known):  | Maranta  |         |
| Way of propagation of the plants to be examined:   | Self or cross pollinated seed propagated <input type="checkbox"/><br>Vegetatively propagated <input checked="" type="checkbox"/>                               |         |
| Number of growing cycles:  | 1 <input checked="" type="checkbox"/><br>2 <input type="checkbox"/><br>Other <input type="checkbox"/> specify <a href="#">Click or tap here to enter text.</a> |         |
| List of grouping characteristics:  | Yes <input type="checkbox"/> if yes put as annex<br>No <input checked="" type="checkbox"/>   |         |
| Minimum number of plants in trial:   | Vegetative:20  | Seed: - |
| Minimum number of plants observed by measuring or counting:  | Vegetative:1   | Seed: - |
| Give description of when observations should take place:   | -  |         |
| <p>Uniformity:</p> <ul style="list-style-type: none"> <li>- For the assessment of uniformity of vegetatively propagated, self-pollinated seed propagated varieties or F1-hybrids, a population standard of 1 % and an acceptance probability of at least 95% should be applied. In the case of a sample size of 20 plants, 1 off-type is allowed.</li> <li>- For the assessment of uniformity for cross-pollinated varieties, the recommendations for cross-pollinated varieties in the General introduction of UPOV should be applied. The variability within the variety should not exceed the variability of comparable varieties already known.</li> </ul> |  |         |
| Table of characteristics:  | Present <input checked="" type="checkbox"/>  |         |

|  |  |
|--|--|
|  | Not available <input type="checkbox"/>   |
| Literature:<br>(When present, please annex to this document) | Present <input type="checkbox"/><br>Absent <input checked="" type="checkbox"/> |

**Table of characteristics: Maranta**

|   |
|---|
| 1. Plant: growth habit  |
| 2. Plant: height  |
| 3. Plant: diameter  |
| 4. Leaf blade: length   |
| 5. Leaf blade: width  |
| 6. Leaf blade: position of broadest part  |
| 7. Leaf blade: number of colours of upper side  |
| 8. Leaf blade: main colour of upper side      RHS Colour Chart (indicate reference number)      |
| 9. Leaf blade: secondary colour of upper side      RHS Colour Chart (indicate reference number) |
| 10. Leaf blade: pattern of secondary colour   |
|   |
|   |
| Literature:<br>-  |